

Now Work Can Get Itself Done

Xerox[®] AltaLink[®] Color Multifunction Printers







Xerox[®] AltaLink[®] C8230/C8235/C8245/C8255/C8270 Color Multifunction Printers

Why harness the power of AI technology in a multifunction printer? Simple. Because busywork isn't your job. Our new AI-supported AltaLink 8200 Series Multifunction Printers are true Workplace Assistants that adapt to you and flex with you, automating tedious tasks so you can focus on what matters most.

BRILLIANTLY CAPABLE, VERSATILE AND AI-ASSISTED

AltaLink's intuitive, tablet-like user interface delivers time-saving ease for each task. Tap into AI-assisted algorithms that learn from you and prioritize your most commonly used tasks to create convenient shortcuts. So you can do more in fewer steps.

With pre-loaded AI-assisted apps*, AltaLink can automate your busy-butimportant work, such as redacting sensitive data, summarizing long reports and digitizing handwritten notes so they can be easily edited, shared and acted on.

Wireless should be seamless. AltaLink's native mobility features make it simple to print and scan from your favorite mobile devices. And you can even access your preferred cloud storage service right from the UI. So you can say goodbye to busywork and guesswork.

A SMARTER WAY TO SCALE

No matter how big or small the print job is, AltaLink can be customized to do it. With a variety of accessories and finishing options to choose from, you can configure your Workplace Assistant as needed. And as your business grows, more printers don't mean more problems. AltaLink devices can automatically keep critical productivity and security settings synced across your fleet. In addition, you can support users and perform interactive training right from your desktop.

SECURITY WITHOUT THE COMPLEXITY

Comprehensive security features work hard to prevent, detect and neutralize threats in addition to streamlining reporting and automatically remediating IT-required settings. Built-in, pre-defined security configurations simplify implementation. Just select one of three security templates and let AltaLink do the rest — no expert knowledge required.

DESIGNED FOR SUSTAINABILITY

With waste-reducing and energy-saving features and the inclusion of post-consumer recycled plastic, AltaLink printers help to reduce environmental impacts. These printers have achieved EPEAT®, ENERGY STAR® and Blue Angel certification.

STAND OUT IN A WORLD OF COLOR

Add clarity and impact to your documents with a high-resolution output of 1200 x 2400 dpi, best-in-class HD toner and superior color rendering and consistency. Take it even further and upgrade with the Xerox[®] EX-c AltaLink[®] Server Powered by Fiery[®], which provides even more options for polished, eye-catching documents that command attention.

XEROX[®] CONNECTKEY[®] TECHNOLOGY



Intuitive User Experience

Enjoy a tablet-like experience with gesture-based touchscreen controls and easy personalization, plus AI-assisted workflow automation.

Mobile and Cloud-ready

Be more mobile with cloud-hosted services and instant connectivity to cloud and mobile devices right from the user interface.

Comprehensive Security

Prevent unauthorized access, detect threats, and protect data and documents with built-in comprehensive security features.

Enables Managed Print Services

Seamless integration with Xerox[®] Managed Print Services delivers next-level workplace efficiency, employee productivity and security, while helping you meet sustainability goals.

Gateway to New Possibilities

Transform the way you work with the apps in the Xerox[®] App Gallery. Or choose Xerox[®] Workflow Central Platform to utilize apps from any device: laptop, desktop or your ConnectKey-enabled printer.

Find out more about how you'll work smarter at **ConnectKey.com**.



that can be renewed from the Xerox App Gallery

Xerox[®] AltaLink[®] C8230/C8235/C8245/C8255/C8270 Color Multifunction Printers





Two 520-sheet Adjustable Trays (common with all configurations). Tray 1 handles media sizes up to 11.7 x 17 in./A3 and Tray 2 handles media sizes up to 12 x 18 in./SRA3.



Envelope Kit (optional — replaces Tray 1) provides feeding of up to 60 envelopes.



High Capacity Tandem Tray Configuration holds a total paper capacity of up to 3,140 sheets.

Four Tray Module Configuration (available for C8230/C8235) holds a total of up to 2,180 sheets.

Bypass Tray handles up to 100 sheets; Custom sizes: 3.5 x 3.9 in. to 12.6 x 52 in./89 x 98 mm to 320 x 1,320 mm.

High Capacity

Feeder (optional) holds 3,000 sheets of letter/A4 paper, increasing the maximum paper capacity to 6,140 sheets.

E

LONG SHEET PRINTING

Long Sheet Feed Kit (optional) provides the ability to print up to 12.6 x 52 in./ 320 x 1,320 mm media.







Intuitive Tablet-like 10.1-inch Color Touchscreen is customizable and lets you perform tasks in just a few taps. Try it out at xerox.com/SIM7.

INNOVATIVE TECHNOLOGIES







Xerox® Integrated RFID Card Reader (optional) adds card-based authentication with support for over 90 access cards.

Near Field Communication (NFC) Tap-to-Pair allows users to tap their mobile devices to the AltaLink C8200 Series user panel and quickly connect with the multifunction printer.

Smart Proximity Sensor detects when users are nearby. It conserves energy during inactive periods and automatically activates the device when a user approaches.

PAPER OUTPUT/FINISHERS*



Office Finisher (optional) provides advanced finishing functions, optional crease/score and saddle-stitch booklet, capable of 60-page booklets (2 to 15 sheets). Business Ready (BR) Finisher (optional) gives you advanced finishing functions at a great value.



C-Fold/Z-Fold Unit (optional) adds C-fold, Z-fold and Z-half-fold capability to the BR Finisher or BR Booklet Maker Finisher.



BR Booklet Maker Finisher (optional) creates 64-page saddle-stitched booklets (2 to 16 sheets).



Dual Offset Catch Tray (available when no finishers are installed; Single Offset Catch Tray with finishers).



Integrated Office Finisher (optional with C8230/C8235/ C8245/C8255) provides 500sheet stacking and 50-sheet, 2-position stapling.



Convenience Stapler (optional) staples up to 50 sheets of 20 lb./75 gsm media.

* Paper capacities are based on 20 lb./75 gsm stock; capacities will vary with different weight stocks

Xerox[®] AltaLink[®] C8230/C8235/C8245/C8255/C8270

Color Multifunction Printers

ConnectKey[®]

Technology

DEVICE SPECIFICATIONS	ALTALINK [®] C8230	ALTALINK [®] C8235	ALTALINK [®] C8245	ALTALINK [®] C8255	ALTALINK [®] C8270
peed ¹ (Color/Black-and-White)	Up to 30/30 ppm	Up to 35/35 ppm	Up to 45/45 ppm	Up to 55/55 ppm	Up to 70/70 ppm
onthly Duty Cycle ²	Up to 90,000 pages	Up to 110,000 pages	Up to 200,000 pages	Up to 300,000 pages	Up to 300,000 pages
ard Drive/Processor/Memory	256 GB NVMe SSD; Optional : 1 TB NVMe SSD/INTEL ATOM [®] Quad Core, 1.9GHz/4 GB system memory (8 GB system memory AltaLink [®] C8270)				
nnectivity			; Optional: WiFi/WiFi Direct with Xerox®	Dual Band WiFi® and Bluetooth® Kit	t (for iBeacon™)
otional Controller	Xerox® EX-c AltaLink® Print Server Powered by Fiery®				
opy and Print	Copy Resolution: Up to 600 x 600 dpi; Print Resolution: Up to 1200 x 2400 dpi				
rst-Copy-Out Time (as fast as)	6.0 seconds color/4.2 seconds l	black-and-white	5.5 seconds color/3.9 seconds	4.6 seconds color/3.6 seconds	4.0 seconds color/2.8 seconds
rom platen/warmed-up state)			black-and-white	black-and-white	black-and-white
rst-Print-Out Time (as fast as)	5.7 seconds color/4.2 seconds black-and-white		4.9 seconds color/3.6 seconds black-and-white	4.5 seconds color/3.2 seconds black-and-white	3.7 seconds color/2.8 seconds black-and-white
age Description Languages Aper Input ³ Standard	Adobe® PostScript® 3", Adobe® PDF, PCL® 5c/PCL® 6				
<pre>sper Input³ Standard</pre>	Single-Pass Duplex Automatic Document Feeder (DADF): Up to 82 ppm simplex/161 ipm duplex (200 dpi). 130-sheet capacity for AltaLink® C8230/C8235/C8245/C8255. Paper sizes: 3.4 x 4.9 in. to 11.7 x 17 in./85 x 125 mm to 297 x 432 mm. Up to 135 ppm simplex/270 ipm duplex (200 dpi). 250-sheet capacity for AltaLink® C8270. Paper sizes: 3.4 x 4.9 in. 11.7 x 17 in./85 x 125 mm to 297 x 432 mm. Up to 135 ppm simplex/270 ipm duplex (200 dpi). 250-sheet capacity for AltaLink® C8270. Paper sizes: 3.4 x 4.9 in. 11.7 x 17 in./85 x 125 mm to 297 x 432 mm. Bypass Tray: 100 sheets; Custom sizes: 3.5 x 3.9 in. to 12.6 x 52 in./89 x 98 mm to 320 x 1,320 mm (SEF); Tray 1: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 11.7 x 17 in./140 x 182 mm to 297 x 432 mm (SEF); Tray 2: 520 sheets; Custom sizes: 5.5 x 7.2 in. to 12. x 18 in./140 x 182 mm to SRA3 (SEF)				
Choose One	Four Tray Module: (Trays 3 and 4 — available with AltaLink C8230/C8235): 1,040 sheets; 520 sheets each; Custom sizes: 5.5 x 7.2 in. to 12 x 18 in./140 x 182 mm to SRA3 (SEF). Total standard paper capacity: 2,180 sheets; High Capacity Tandem Tray Module: 2,000 sheets; Sizes: 8.5 x 11 in./A4. Total standard paper capacity: 3,140 sheets				
Optional	High Capacity Feeder (HCF): Up to 3,000 sheets; Size 8.5 x 11 in./A4 long edge feed. Max paper capacity with HCF: 6,140 sheets; Envelope Tray (replaces Tray 1): Up to 60 envelopes with Auto Size detection of some sizes; Long Sheet Feed Kit (banner printing): 12.6 x 52 in./320 x 1,320 mm; Multi-feed Detection Kit (available for AltaLink® C8270 only)				
aper Output/ Standard	Dual Offset Catch Tray (standard when finishers are not attached): 250 sheets each; Face-up Tray: 100 sheets				
nishing ³ Optional			/C8245/C8255, staple positions: front an		50 sheets stapling.
	2-position stapling Office Finisher: 2,000-sheet stacker, 50 sheets stapled, 2-position stapling, optional hole punch, optional booklet maker (score, saddle stitch 2 to 15 sheets (60 pages)) BR Finisher: 3,000-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching BR Booklet Maker Finisher: 1,500-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching BR Booklet Maker Finisher: 1,500-sheet stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching BR Constraints and the stacker of the stacker and 500-sheet top tray, 50-sheet multiposition stapling and 2/3-hole punching C-Fold/Z-Fold Unit: Adds Z-folding, Letter Z-folding to the BR Finisher and BR Booklet Maker Finisher Convenience Stapler: 50-sheet stapling, includes Work Surface ⁶				
ITUITIVE USER EXPE	RIENCE				
stomize	Customize user interface, show/hide functions, personalize user experience with authentication, create 1-Touch Apps, auto wake-up with Smart Proximity Sensor, Enable AI-Assisted Adaptive Learning to set up shortcuts for repetitive and complex jobs. Copy, scan, or email without touching the user screen using the automatic touchless workflow accelerators				
int Drivers			bal Print Driver®, Application Defaults, X		
	Application (Secure Print and S			· · · · · · · · · · · · · · · · · · ·	
ox® Embedded Web Server			, Cloning, Fleet Orchestrator, Configurati	ion Watchdog, Remote Control Pan	el, Security Templates, Web Conter
	Accessibility Guidelines (WCAG				
nt Features	Print from USB, Print from Cloud Repositories (Dropbox, OneDrive, and Google Drive), Sample Set, Saved Job, Booklet Creation, Store and Recall Driver Settings, Scaling, Job Monitoring, Application Control, Two-sided Printing, Draft Mode, Long Sheet (Banner) Printing, Mopria® Print, Apple AirPrint™, Xerox® Print Service (Android), @PrintByXet Imaging Security: Optional : Xerox® Workplace Mobile App (IOS/Android)				
can and Fax	Scan Preview, Scan to USB/PC via USB port/Email/Network (FTP/SFTP/SMB), Scan to Print, Scan File Formats: PDF, PDF/A, JPG, TIFF; Convenience Features: Scan to Home, Searchat PDF, Single/Multi-page PDF/TIFF, Password-protected PDF, TWAIN driver (scan), Imaging Security; Fax Features: Walk-up Fax (one-line or two-line options available, includes LAN F Direct Fax, Fax Forward to Email), Fax dialing, Unified Address Book, Optical Character Recognition (OCR), Server Fax, Mopria® Scan, Apple AirPrint [™] , Optional : Xerox [®] Workplace Mobile App (iOS/Android); Scan To Cloud Repositories (Dropbox, OneDrive, and Google Drive)				
OBILE AND CLOUD-R		······································			
obile Connectivity		C): Optional: Dual Band WiFi and B	luetooth Kit (for iBegcop)		
obile Printing	Near Field Communication (NFC); Optional : Dual Band WiFi and Bluetooth Kit (for iBeacon) Mopria® Print, Apple AirPrint™, Xerox® Print Service (Android), @PrintByXerox; Optional : Xerox® Workplace Mobile App (iOS/Android)				
obile Scanning	Mopria® Scan, Apple AirPrint™, Optional: Xerox® Workplace Mobile App (iOS/Android) Remote services enabled, native "Print from" Cloud repositories (Dropbox, OneDrive, Google Drive), integration with Okta, Ping Identity, Microsoft Azure; Optional: Native "Scan to" cloud repositories (Dropbox, OneDrive, Google Drive), direct connection to cloud-hosted services via optional apps (accessed via Xerox App Gallery or orisit xerox.com/AppGallery), Xerox WorkFlow Central Platform				
oud-ready					
OMPREHENSIVE SECU	RITY				
etwork Security	802.1x, IPsec, HTTPS, SFTP and Encrypted Email, Trellix ePolicy Orchestrator®*, Trellix Enterprise Security Manager*, LogRhythm SIEM, Splunk SIEM, Network Authentication, SNMPv3, SHA-256 Hash Message Authentication, TLS 1.1/1.2/1.3, Security Certificates utilizing ECDSA, Automatic Self-signed Certificate, Cisco® Identity Services Engine (ISE) integration, automated threat response through Trellix XPC/Gico px6ria integration, Local Authentication (Internal Database), FIPS 140-3				
evice Access	User Access and Internal Firewall, Serverless Card Authentication, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Configuration Watchdog, TPM 2.0, Log with Okta, Ping Identity, and Microsoft Azure credentials, WPA2 [®] and WPA3 [®] with Dual Band WiFi and Bluetooth Kit; Optional : Smart Card Enablement Kit (CAC/PIV/.NET/ SIPRNet) ⁵ , Xerox [®] Integrated RFID Card Reader, NFC standard (authentication via optional Xerox [®] Workplace Cloud/Suite Print Management and Content Security: learn more c xerox.com/WorkplaceSolutions)				
evice Security			urity Templates, Trusted Boot; Optional	: Trellix Integrity Control*	
ata and Document Security	Common Criteria Certification full system against CPP HCD V1.0E will be made available in a future firmware release, Encrypted Secure Print, FIPS 140-3 Encrypted Data with Print Drivers, Imaging Security with AltaLink's proprietary marking and infrared detection technology, Job Level Encryption via HTTPS and Drivers, Encrypted NVMe SSD (AES 256-bit), Job Data Remova Encrypted and Signed Email, Microsoft Universal Print with Secure Print and Secure Release; Optional: Xerox® Workplace Cloud/Suite Content Security, Encrypted 1 TB NVMe SSD (AES 256-bit), Job Data Remova				
	,, °				
ΙΔΒΙΕς ΜΔΝΔGED ΡΕ	Xerox® Standard Accounting: Optional: Xerox® Workplace Suite/Cloud, Xerox® Virtual Print Management Service, more at xerox.com/PrintManagement				
nt Management	Xerox® CentreWare® Web Software, Xerox® Support Assistant, Automated Meter Read, Fleet Orchestrator, Configuration Cloning, Xerox® Easy Assist App; Optional: Managed Print Services Suite, cloud-based remote management with Xerox® Cloud Fleet Management Solution				
nt Management eet/Device Management	Print Services Suite, cloud-base	3	eloua i leet management solution		
nt Management eet/Device Management sights	Print Services Suite, cloud-base Xerox® MPS Advanced Analytic	cs, Predictive AI			
NABLES MANAGED PF int Management eet/Device Management sights ccurity	Print Services Suite, cloud-base Xerox [®] MPS Advanced Analytic Secure Device Management: X	cs, Predictive AI	auto-configuration of security settings, I	monitoring and auto-remediation),	Certificate Management, SIEM
nt Management et/Device Management sights curity	Print Services Suite, cloud-base Xerox [®] MPS Advanced Analytic Secure Device Management: X Reporting, Interactive Dashboo	cs, Predictive AI erox® Printer Security Audit Service (auto-configuration of security settings, I	monitoring and auto-remediation),	Certificate Management, SIEM
int Management eet/Device Management sights	Print Services Suite, cloud-base Xerox® MPS Advanced Analytic Secure Device Management: X Reporting, Interactive Dashbor SIBILITIES AI apps for limited use includee	s, Predictive AI erox® Printer Security Audit Service (ard Reports, Device Security Center, d in your AltaLink 8200 Series: Xerox	auto-configuration of security settings, I	verter App, Xerox® Summarizer App). Gain access to numerous
nt Management eet/Device Management sights curity ATEWAY TO NEW POS	Print Services Suite, cloud-base Xerox® MPS Advanced Analytic Secure Device Management: X Reporting, Interactive Dashbor SIBILITIES Al apps for limited use includee productivity enhancing apps th	s, Predictive AI erox® Printer Security Audit Service (ard Reports, Device Security Center, d in your AltaLink 8200 Series: Xerox nat connect you directly to key busin	auto-configuration of security settings, Workplace App Management [®] Auto-Redaction App, Xerox [®] Note Con [®]	verter App, Xerox® Summarizer App entric tasks. Visit xerox.com/Work J). Gain access to numerous

⁴ Sold separately in some geographies ⁵ Not available in all geographies

* Trellix formerly known as McAfee

Certifications: xerox.com/OfficeCertifications

Learn more at **xerox.com/AltaLink** and see how we make work, work.

